


**上海松铭传动机械有限公司**  
SHANGHAI SONGMING TRANSMISSION MACHINERY CO.,LTD

**PULLEYS & TAPER BUSHES**



联轴器系列




## 联轴器系列



# V-Belt Pulleys For Taper Bushes

# SPC/3




## SPC/3

Type	Grooves	P	O	Type	Bush	Max Bore	F	J	K	L	M	N	E
SPC 200-03	3	200	209,6	3	2517	60	85	150	20	45	20	-	-
SPC 212-03	3	212	221,6	3	3020	75	85	162	17	51	17	-	-
SPC 224-03	3	224	233,6	3	3020	75	85	173	17	51	17	-	-
SPC 236-03	3	236	245,6	3	3020	75	85	185	17	51	17	-	-
SPC 250-03	3	250	259,6	6	3020	75	85	200	17	51	17	-	-
SPC 265-03	3	265	274,6	1	3535	90	85	209	-	89	4	170	-
SPC 280-03	3	280	289,6	7	3535	90	85	224	-	89	4	170	-
SPC 300-03	3	300	309,6	7	3535	90	85	249	2	89	2	170	18
SPC 315-03	3	315	324,6	7	3535	90	85	264	2	89	2	170	18
SPC 335-03	3	335	344,6	7	3535	90	85	284	2	89	2	170	18
SPC 355-03	3	355	364,6	7	3535	90	85	304	2	89	2	170	18
SPC 375-03	3	375	384,6	4	3535	90	85	324	2	89	2	170	20
SPC 400-03	3	400	409,6	4	3535	90	85	344	2	89	2	170	-
SPC 425-03	3	425	434,6	4	3535	90	85	369	2	89	2	170	-
SPC 450-03	3	450	459,6	4	3535	90	85	394	2	89	2	170	-
SPC 475-03	3	475	484,6	4	3535	90	85	419	2	89	2	170	-
SPC 500-03	3	500	509,6	4	3535	90	85	444	2	89	2	170	-
SPC 530-03	3	530	539,6	4	3535	90	85	474	2	89	2	170	-
SPC 560-03	3	560	569,6	4	3535	90	85	504	2	89	2	170	-
SPC 630-03	3	630	639,6	4	4040	100	85	574	8,5	102	8,5	200	-
SPC 800-03	3	800	809,6	4	4545	110	85	737	4	114	25	225	-
SPC 1000-03	3	1000	1009,6	4	5050	125	85	937	8	127	34	245	-
SPC 1250-03	3	1250	1259,6	4	5050	125	85	1187	8	127	34	245	-

# V-Belt Pulleys For Taper Bushes

# SPC/4




## SPC/4

Type	Grooves	P	O	Type	Bush	Max Bore	E	F	J	K	L	M	N
SPC 200-04	4	200	209,6	3	3020	75	-	111	144	30	51	30	-
SPC 212-04	4	212	221,6	3	3020	75	-	111	156	30	51	30	-
SPC 224-04	4	224	233,6	3	3535	90	-	111	168	11	89	11	-
SPC 236-04	4	236	245,6	3	3535	90	-	111	180	11	89	11	-
SPC 250-04	4	250	259,6	3	3535	90	-	111	194	11	89	11	-
SPC 265-04	4	265	274,6	3	3535	90	-	111	209	11	89	11	-
SPC 280-04	4	280	289,6	6	3535	90	-	111	224	11	89	11	-
SPC 300-04	4	300	309,6	6	3535	90	20	111	244	11	89	11	170
SPC 315-04	4	315	324,6	6	3535	90	20	111	259	11	89	11	170
SPC 335-04	4	335	344,6	6	3535	90	20	111	279	11	89	11	170
SPC 355-04	4	355	364,6	6	3535	90	20	111	299	11	89	11	170
SPC 375-04	4	375	384,6	6	3535	90	25	111	319	11	89	11	170
SPC 400-04	4	400	409,6	5	3535	90	-	111	344	11	89	11	170
SPC 425-04	4	425	434,6	5	3535	90	-	111	369	11	89	11	170
SPC 450-04	4	450	459,6	5	3535	90	-	111	394	11	89	11	170
SPC 475-04	4	475	484,6	5	3535	90	-	111	419	11	89	11	170
SPC 500-04	4	500	509,6	5	3535	90	-	111	444	11	89	11	170
SPC 530-04	4	530	539,6	5	3535	100	-	111	474	11	89	11	170
SPC 560-04	4	560	569,6	5	4040	100	-	111	504	4,5	102	4,5	200
SPC 630-04	4	630	639,6	4	4545	110	-	111	574	1,5	114	1,5	225
SPC 710-04	4	710	719,6	4	5050	125	-	111	654	4	127	12	245
SPC 800-04	4	800	809,6	4	5050	125	-	111	737	4	127	12	245
SPC 1000-04	4	1000	1009,6	4	5050	125	-	111	937	4	127	12	245
SPC 1250-04	4	1250	1259,6	4	5050	125	-	111	1187	4	127	12	245

# V-Belt Pulleys For Taper Bushes

# SPC/5




## SPC/5

Type	Grooves	P	O	Type	Bush	Max Bore	E	F	J	K	L	M	N
SPC 200-05	5	200	209,6	3	3535	90	-	136	150	23.5	89	23.5	-
SPC 212-05	5	212	221,6	3	3535	90	-	136	160	23.5	89	23.5	-
SPC 224-05	5	224	233,6	3	3535	90	-	136	173	23.5	89	23.5	-
SPC 236-05	5	236	245,6	3	3535	90	-	136	185	23.5	89	23.5	-
SPC 250-05	5	250	259,6	3	3535	90	-	136	198	23.5	89	23.5	-
SPC 265-05	5	265	274,6	3	3535	90	-	136	213	23.5	89	23.5	-
SPC 280-05	5	280	289,6	6	3535	90	-	136	228	23.5	89	23.5	-
SPC 300-05	5	300	309,6	6	3535	90	20	136	247	23.5	89	23.5	170
SPC 315-05	5	315	324,6	6	3535	90	20	136	264	23.5	89	23.5	170
SPC 335-05	5	335	344,6	6	3535	90	20	136	280	23.5	89	23.5	170
SPC 355-05	5	355	364,6	6	3535	90	20	136	304	23.5	89	23.5	170
SPC 375-05	5	375	384,6	6	3535	90	20	136	324	23.5	89	23.5	170
SPC 400-05	5	400	409,6	5	3535	90	-	136	344	23.5	89	23.5	170
SPC 425-05	5	425	434,6	6	4040	100	-	136	369	17	102	17	200
SPC 450-05	5	450	459,6	5	4040	100	-	136	394	17	102	17	200
SPC 475-05	5	475	484,6	5	4040	100	-	136	419	17	102	17	200
SPC 500-05	5	500	509,6	5	4040	100	-	136	444	17	102	17	200
SPC 530-05	5	530	539,6	5	4040	100	-	136	474	17	102	17	200
SPC 560-05	5	560	569,6	5	4545	110	-	136	504	11	114	11	225
SPC 630-05	5	630	639,6	5	5050	125	-	136	574	4.5	127	4.5	245
SPC 710-05	5	710	719,6	5	5050	125	-	136	654	4.5	127	4.5	245
SPC 800-05	5	800	809,6	5	5050	125	-	136	737	4.5	127	4.5	245
SPC 1000-05	5	1000	1009,6	5	5050	125	-	136	937	4.5	127	4.5	245
SPC 1250-05	5	1250	1259,6	5	5050	125	-	136	1187	4.5	127	4.5	245

# V-Belt Pulleys For Taper Bushes

# SPC/6




## SPC/6

Type	Grooves	P	O	Type	Bush	Max Bore	E	F	J	K	L	M	N
SPC 200-06	6	200	209.6	3	3535	90	-	162	148	36.5	89	36.5	-
SPC 212-06	6	212	221.6	3	3535	90	-	162	160	36.5	89	36.5	-
SPC 224-06	6	224	233.6	3	3535	90	-	162	173	36.5	89	36.5	-
SPC 236-06	6	236	245.6	3	3535	90	-	162	185	36.5	89	36.5	-
SPC 250-06	6	250	259.6	3	3535	90	-	162	198	36.5	89	36.5	-
SPC 265-06	6	265	274.6	3	3535	90	-	162	213	36.5	89	36.5	-
SPC 280-06	6	280	289.6	6	3535	90	-	162	228	36.5	89	36.5	-
SPC 300-06	6	300	309.6	6	3535	90	20	162	247	36.5	89	36.5	170
SPC 315-06	6	315	324.6	6	3535	90	20	162	264	36.5	89	36.5	170
SPC 335-06	6	335	344.6	6	3535	90	20	162	280	36.5	89	36.5	170
SPC 355-06	6	355	364.6	6	3535	90	20	162	304	36.5	89	36.5	170
SPC 375-06	6	375	384.6	6	4040	100	20	162	324	30	102	30	200
SPC 400-06	6	400	409.6	6	4040	100	20	162	348	30	102	30	200
SPC 425-06	6	425	434.6	6	4545	100	30	162	369	24	114	24	225
SPC 450-06	6	450	459.6	6	4545	110	30	162	394	24	114	24	225
SPC 475-06	6	475	484.6	6	4545	110	30	162	419	24	114	24	225
SPC 500-06	6	500	509.6	5	4545	110	30	162	444	24	114	24	225
SPC 530-06	6	530	539.6	5	4545	110	30	162	474	24	114	24	225
SPC 560-06	6	560	569.6	5	5050	125	-	162	504	17.5	127	17.5	245
SPC 630-06	6	630	639.6	5	5050	125	-	162	574	17.5	127	17.5	245
SPC 710-06	6	710	719.6	5	5050	125	-	162	656	17.5	127	17.5	245
SPC 800-06	6	800	809.6	5	5050	125	-	162	737	17.5	127	17.5	245
SPC 1000-06	6	1000	1009.6	5	5050	125	-	162	937	17.5	127	17.5	245
SPC 1250-06	6	1250	1259.6	5	5050	125	-	162	1187	17.5	127	17.5	245

# V-Belt Pulleys For Taper Bushes

# SPC/8




## SPC/8

Type	Grooves	P	O	Type	Bush	Max Bore	E	F	J	K	L	M	N
SPC 200-08	8	200	209,6	3	3535	90	-	213	148	62	89	62	-
SPC 212-08	8	212	221,6	3	3535	90	-	213	160	62	89	62	-
SPC 224-08	8	224	233,6	3	3535	90	-	213	170	62	89	62	-
SPC 236-08	8	236	245,6	3	3535	90	-	213	184	62	89	62	-
SPC 250-08	8	250	259,6	3	3535	90	-	213	198	62	89	62	-
SPC 265-08	8	265	274,6	3	3535	90	-	213	213	62	89	62	-
SPC 280-08	8	280	289,6	6	3535	90	-	213	228	62	89	62	-
SPC 300-08	8	300	309,6	3	4040	100	-	213	247	55,5	102	55,5	-
SPC 315-08	8	315	324,6	3	4040	100	-	213	258	55,5	102	55,5	-
SPC 335-08	8	335	344,6	6	4040	100	-	213	280	55,5	102	55,5	-
SPC 355-08	8	355	364,6	6	4040	100	-	213	304	55,5	102	55,5	200
SPC 375-08	8	375	384,6	6	4545	110	-	213	324	49,5	114	49,5	200
SPC 400-08	8	400	409,6	6	4545	110	20	213	348	49,5	114	49,5	220
SPC 425-08	8	425	434,6	6	5050	110	30	213	369	43	127	43	245
SPC 450-08	8	450	459,6	6	5050	125	30	213	394	43	127	43	245
SPC 475-08	5	475	484,6	6	5050	125	30	213	419	43	127	43	245
SPC 500-08	5	500	509,6	5	5050	125	30	213	444	43	127	43	245
SPC 530-08	5	530	539,6	5	5050	125	30	213	474	43	127	43	245
SPC 560-08	8	560	569,6	5	5050	125	-	213	504	43	127	43	245
SPC 630-08	8	630	639,6	5	5050	125	-	213	574	43	127	43	245
SPC 710-08	8	710	719,6	5	5050	125	-	213	656	43	127	43	245
SPC 800-08	8	800	809,6	5	5050	125	-	213	737	43	127	43	245
SPC 1000-08	8	1000	1009,6	5	5050	125	-	213	937	43	127	43	245
SPC 1250-08	8	1250	1259,6	5	5050	125	-	213	1187	43	127	43	245



# V-Belt Pulleys For Taper Bushes




## SPC/10



## SPC/10

Type	Grooves	P	O	Type	Bush	Max Bore	E	F	J	K	L	M	N
SPC 250-10	10	250	259.6	3	4040	100	-	264	196	81	102	84	-
SPC 280-10	10	280	289.6	3	4040	100	-	264	226	81	102	81	-
SPC 300-10	10	300	309.6	3	4545	110	-	264	245	75	114	75	-
SPC 315-10	10	315	324.6	3	4545	110	-	264	258	75	114	75	-
SPC 355-10	10	355	364.6	3	4545	110	-	264	299	75	114	75	-
SPC 400-10	10	400	409.6	6	5050	125	-	264	342	68.5	127	68.5	245
SPC 450-10	10	450	459.6	6	5050	125	40	264	394	68.5	127	68.5	245
SPC 500-10	10	500	509.6	6	5050	125	40	264	444	68.5	127	68.5	245
SPC 560-10	10	560	569.6	5	5050	125	-	264	504	68.5	127	68.5	245
SPC 630-10	10	630	639.6	5	5050	125	-	264	574	68.5	127	68.5	245
SPC 710-10	10	710	719.6	5	5050	125	-	264	656	68.5	127	68.5	245
SPC 800-10	10	800	809.6	5	5050	125	-	264	737	68.5	127	68.5	245
SPC 1000-10	10	1000	1009.6	5	5050	125	-	264	937	68.5	127	68.5	245
SPC 1250-10	10	1250	1259.6	5	5050	125	-	264	1187	68.5	127	68.5	245

# Taper Bushings




Dimensions for 1008 thru 3030 TAPER Bushings

Bush.No.	A	B	D	Set Screws
1008	1.386	7/8	121/64	1/4x1/2
1108	1.511	7/8	129/64	1/4x1/2
1210	17/8	1	13/4	3/8x5/8
1215	17/8	1 1/2	13/4	3/8x5/8
1310	2	1	17/8	3/8x5/8
1610	2 1/4	1	2 1/8	3/8x5/8
1615	2 1/4	1 1/2	2 1/8	3/8x5/8
2012	23/4	1 1/4	25/8	7/16x7/8
2017	23/4	1 3/4	25/8	7/16x7/8
2517	33/8	1 3/4	3 1/4	1/2x1
2525	33/8	2 1/2	3 1/4	1/2x1
3020	4 1/4	2	4	5/8x1 1/4
3030	4 1/4	3	4	5/8x1 1/4

Dimensions for 3535 thru 5050 TAPER Bushings

Bush.No.	A	B	D	Socket Head Cap Screws	G
3535	5	3 1/2	4.83	1/2x1 1/2	40
4040	5 3/4	4	5.54	5/8x1 3/4	40
4545	6 3/8	4 1/2	6.13	3/4x2	40
5050	7	5	6.72	7/8x2 1/4	37



ISO STANDARD METHOD  
FOR MEASURING KEYSEAT DEPTH  
D: depth measured at centering

MM Bore Key way dimensions conform to ISO standard

## CLOSE GRAIN CAST IRON

Taper bushings made of steel or stainless steel are available as made to order.

# Taper Bushing Keyway

## TAPER BUSHING KEYWAY

DIN 6885  
JIS B 1301-1976  
UNI 6604-1969  
GB 1095-1979

Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway
1008	10	3×1.40	1610	14	5×2.30	2517	20	6×2.80	3020	25	8×3.30	3535	35	10×3.30	4545	55	16×4.30
	11	4×1.80		16	5×2.30		22	6×2.80		28	8×3.30		38	10×3.30		60	18×4.40
	12	4×1.80		18	6×2.80		24	8×3.30		30	10×3.30		40	12×3.30		65	20×4.90
	14	5×2.30		19	6×2.80		25	8×3.30		35	10×3.30		42	12×3.30		70	20×4.90
	16	5×2.30		20	6×2.80		28	8×3.30		38	10×3.30		45	14×3.80		75	25×5.40
	18	6×2.80		22	6×2.80		30	8×3.30		40	12×3.30		48	14×3.80		80	22×5.40
	19	6×2.80		24	8×3.30		32	10×3.30		42	12×3.30		50	16×4.30		85	22×5.40
	20	6×2.80		25	8×3.30		35	10×3.30		45	14×3.80		55	16×4.30		90	25×5.40
	22	6×2.80		28	8×3.30		38	10×3.30		48	14×3.80		60	18×4.40		95	25×5.40
	24	8×2.00		30	8×3.30		40	12×3.30		50	16×4.30		65	18×4.40		105	28×6.40
25	8×1.30	32	10×3.30	42	12×2.20	55	16×4.30	60	18×4.40	110	28×6.40						
1108	10	3×1.40	1615	14	5×2.30	2517	20	6×2.80	3020	25	8×3.30	3535	35	10×3.30	4545	55	16×4.30
	11	4×1.80		16	5×2.30		22	6×2.80		28	8×3.30		38	10×3.30		60	18×4.40
	12	4×1.80		18	6×2.80		24	8×3.30		30	10×3.30		40	12×3.30		65	20×4.90
	14	5×2.30		19	6×2.80		25	8×3.30		35	10×3.30		42	12×3.30		70	20×4.90
	16	5×2.30		20	6×2.80		28	8×3.30		38	10×3.30		45	14×3.80		75	25×5.40
	18	6×2.80		22	6×2.80		30	8×3.30		40	12×3.30		48	14×3.80		80	22×5.40
	19	6×2.80		24	8×3.30		32	10×3.30		42	12×3.30		50	16×4.30		85	22×5.40
	20	6×2.80		25	8×3.30		35	10×3.30		45	14×3.80		55	16×4.30		90	25×5.40
	22	6×2.80		28	8×3.30		38	10×3.30		48	14×3.80		60	18×4.40		95	25×5.40
	24	8×3.30		30	8×3.30		40	12×3.30		50	16×4.30		65	18×4.40		105	28×6.40
28	8×2.00	32	10×3.30	42	12×2.20	55	16×4.30	60	18×4.40	110	28×6.40						
1210	11	4×1.80	1615	14	5×2.30	2517	20	6×2.80	3020	25	8×3.30	3535	35	10×3.30	4545	55	16×4.30
	12	4×1.80		16	5×2.30		22	6×2.80		28	8×3.30		38	10×3.30		60	18×4.40
	14	5×2.30		18	6×2.80		24	8×3.30		30	10×3.30		40	12×3.30		65	20×4.90
	16	5×2.30		19	6×2.80		25	8×3.30		35	10×3.30		42	12×3.30		70	20×4.90
	18	6×2.80		20	6×2.80		28	8×3.30		38	10×3.30		45	14×3.80		75	25×5.40
	19	6×2.80		22	6×2.80		30	8×3.30		40	12×3.30		48	14×3.80		80	22×5.40
	20	6×2.80		24	8×3.30		32	10×3.30		42	12×3.30		50	16×4.30		85	22×5.40
	22	6×2.80		25	8×3.30		35	10×3.30		45	14×3.80		55	16×4.30		90	25×5.40
	24	8×3.30		28	8×3.30		38	10×3.30		48	14×3.80		60	18×4.40		95	25×5.40
	28	8×3.30		30	8×3.30		40	12×3.30		50	16×4.30		65	18×4.40		105	28×6.40
32	10×3.30	32	10×3.30	42	12×2.20	55	16×4.30	60	18×4.40	110	28×6.40						
1215	11	4×1.80	2012	14	5×2.30	2525	20	6×2.80	3030	25	8×3.30	4040	35	10×3.30	5050	55	16×4.30
	12	4×1.80		16	5×2.30		22	6×2.80		28	8×3.30		38	10×3.30		60	18×4.40
	14	5×2.30		18	6×2.80		24	8×3.30		30	10×3.30		40	12×3.30		65	20×4.90
	16	5×2.30		19	6×2.80		25	8×3.30		35	10×3.30		42	12×3.30		70	20×4.90
	18	6×2.80		20	6×2.80		28	8×3.30		38	10×3.30		45	14×3.80		75	25×5.40
	19	6×2.80		22	6×2.80		30	8×3.30		40	12×3.30		48	14×3.80		80	22×5.40
	20	6×2.80		24	8×3.30		32	10×3.30		42	12×3.30		50	16×4.30		85	22×5.40
	22	6×2.80		25	8×3.30		35	10×3.30		45	14×3.80		55	16×4.30		90	25×5.40
	24	8×3.30		28	8×3.30		38	10×3.30		48	14×3.80		60	18×4.40		95	25×5.40
	28	8×3.30		30	8×3.30		40	12×3.30		50	16×4.30		65	18×4.40		105	28×6.40
30	8×3.30	32	10×3.30	42	12×2.20	55	16×4.30	60	18×4.40	110	28×6.40						
32	10×3.30	35	10×3.30	45	14×3.80	60	18×4.40	70	20×4.90	115	32×7.40						
1310	14	5×2.30	2012	18	6×2.80	2525	24	8×3.30	3030	30	10×3.30	4040	40	12×3.30	5050	60	18×4.40
	16	5×2.30		19	6×2.80		25	8×3.30		35	10×3.30		42	12×3.30		65	20×4.90
	18	6×2.80		20	6×2.80		28	8×3.30		38	10×3.30		45	14×3.80		70	20×4.90
	19	6×2.80		22	6×2.80		30	8×3.30		40	12×3.30		48	14×3.80		75	25×5.40
	20	6×2.80		24	8×3.30		32	10×3.30		42	12×3.30		50	16×4.30		80	22×5.40
	22	6×2.80		25	8×3.30		35	10×3.30		45	14×3.80		55	16×4.30		85	22×5.40
	24	8×3.30		28	8×3.30		38	10×3.30		48	14×3.80		60	18×4.40		90	25×5.40
25	8×3.30	30	8×3.30	40	12×3.30	50	16×4.30	65	18×4.40	95	25×5.40						
28	8×3.30	32	10×3.30	42	12×2.20	55	16×4.30	60	18×4.40	105	28×6.40						
30	8×3.30	35	10×3.30	45	14×3.80	60	18×4.40	70	20×4.90	110	28×6.40						
32	10×3.30	38	10×3.30	48	14×3.80	60	18×4.40	75	20×4.90	115	32×7.40						
35	10×3.30	40	12×3.30	50	16×4.30	60	18×4.40	75	20×4.90	125	32×7.40						

# Taper Bushing Keyway

## TAPER BUSHING KEYWAY

USAS B 17.1 1967  
KEYS AND KEYSEATS

Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway	Bush. No.	Bore	Bushing Keyway														
1008	1/2	1/8 × 1/16	1610	1/2	1/8 × 1/16	2517	1/2	1/8 × 1/16	3020	7/8	3/16 × 3/32	3535	13/16	1/4 × 1/8	4545	115/16	1/2 × 1/4														
	9/16	3/16 × 3/32		9/16	3/16 × 3/32		5/8	1/4 × 1/8		5/8	5/16 × 5/32		15/16	3/8 × 3/16		13/16	5/8 × 5/16	11/4	1/2 × 1/4	2	7/8 × 7/16										
	5/8			5/8			11/16			11/16			17/16			17/16		23/16		23/16		27/16	27/16	31/8	31/8	31/8	31/8	31/8	31/8		
	11/16			11/16			3/4			3/4			13/16			13/16		15/8		15/8		19/16	19/16	21/8	21/8	21/8	21/8	21/8	21/8	21/8	
	3/4			3/4			13/16			13/16			7/8			7/8		15/16		15/16		13/8	13/8	11/16	11/16	11/16	11/16	11/16	11/16	11/16	
	13/16			13/16			7/8			7/8			15/16			15/16		13/8		13/8		11/16	11/16	13/4	13/4	13/4	13/4	13/4	13/4	13/4	13/4
	7/8			7/8			15/16			15/16			1			1		17/16		17/16		17/8	17/8	21/16	21/16	21/16	21/16	21/16	21/16	21/16	21/16
	15/16			15/16			1			1			11/16			11/16		11/8		11/8		11/8	11/8	21/8	21/8	21/8	21/8	21/8	21/8	21/8	21/8
	1	1/4 × 1/8		1	1/4 × 1/8		11/8	11/8		13/16	13/16		13/16	13/16		23/16	23/16	23/16	23/16	23/16	23/16	23/16	23/16								
	△	△		△	△		△	△		△	△		△	△		△	△	△	△	△	△	△	△								
1108	1/2	1/8 × 1/16	1615	1/2	1/8 × 1/16	2525	1/2	1/8 × 1/16	3030	7/8	3/16 × 3/32	4040	13/16	1/4 × 1/8	5050	115/16	1/2 × 1/4														
	9/16	3/16 × 3/32		9/16	3/16 × 3/32		5/8	1/4 × 1/8		5/8	5/16 × 5/32		15/16	3/8 × 3/16		13/16	5/8 × 5/16	11/4	1/2 × 1/4	4	1 × 1/2										
	5/8			5/8			11/16			11/16			17/16			17/16		23/16		23/16		27/16	27/16	31/8	31/8	31/8	31/8	31/8	31/8		
	11/16			11/16			3/4			3/4			13/16			13/16		15/8		15/8		19/16	19/16	21/8	21/8	21/8	21/8	21/8	21/8	21/8	
	3/4			3/4			13/16			13/16			7/8			7/8		15/16		15/16		13/8	13/8	11/16	11/16	11/16	11/16	11/16	11/16	11/16	
	13/16			13/16			7/8			7/8			15/16			15/16		13/8		13/8		11/16	11/16	13/4	13/4	13/4	13/4	13/4	13/4	13/4	
	7/8			7/8			15/16			15/16			1			1		17/16		17/16		17/8	17/8	21/16	21/16	21/16	21/16	21/16	21/16	21/16	
	15/16			15/16			1			1			11/16			11/16		11/8		11/8		11/8	11/8	21/8	21/8	21/8	21/8	21/8	21/8	21/8	
	1	1/4 × 1/8		1	1/4 × 1/8		11/8	11/8		13/16	13/16		13/16	13/16		23/16	23/16	23/16	23/16	23/16	23/16	23/16									
	△	△		△	△		△	△		△	△		△	△		△	△	△	△	△	△	△									
1210	1/2	1/8 × 1/16	1615	1/2	1/8 × 1/16	2525	1/2	1/8 × 1/16	3030	7/8	3/16 × 3/32	4040	13/16	1/4 × 1/8	5050	115/16	1/2 × 1/4														
	9/16	3/16 × 3/32		9/16	3/16 × 3/32		5/8	1/4 × 1/8		5/8	5/16 × 5/32		15/16	3/8 × 3/16		13/16	5/8 × 5/16	11/4	1/2 × 1/4	4	1 × 1/2										
	5/8			5/8			11/16			11/16			17/16			17/16		23/16		23/16		27/16	27/16	31/8	31/8	31/8	31/8	31/8			
	11/16			11/16			3/4			3/4			13/16			13/16		15/8		15/8		19/16	19/16	21/8	21/8	21/8	21/8	21/8	21/8		
	3/4			3/4			13/16			13/16			7/8			7/8		15/16		15/16		13/8	13/8	11/16	11/16	11/16	11/16	11/16	11/16		
	13/16			13/16			7/8			7/8			15/16			15/16		13/8		13/8		11/16	11/16	13/4	13/4	13/4	13/4	13/4	13/4		
	7/8			7/8			15/16			15/16			1			1		17/16		17/16		17/8	17/8	21/16	21/16	21/16	21/16	21/16	21/16		
	15/16			15/16			1			1			11/16			11/16		11/8		11/8		11/8	11/8	21/8	21/8	21/8	21/8	21/8	21/8		
	1	1/4 × 1/8		1	1/4 × 1/8		11/8	11/8		13/16	13/16		13/16	13/16		23/16	23/16	23/16	23/16	23/16	23/16										
	△	△		△	△		△	△		△	△		△	△		△	△	△	△	△	△	△									
1215	1/2	1/8 × 1/16	1615	1/2	1/8 × 1/16	2525	1/2	1/8 × 1/16	3030	7/8	3/16 × 3/32	4040	13/16	1/4 × 1/8	5050	115/16	1/2 × 1/4														
	9/16	3/16 × 3/32		9/16	3/16 × 3/32		5/8	1/4 × 1/8		5/8	5/16 × 5/32		15/16	3/8 × 3/16		13/16	5/8 × 5/16	11/4	1/2 × 1/4	4	1 × 1/2										
	5/8			5/8			11/16			11/16			17/16			17/16		23/16		23/16		27/16	27/16	31/8	31/8	31/8	31/8	31/8			
	11/16			11/16			3/4			3/4			13/16			13/16		15/8		15/8		19/16	19/16	21/8	21/8	21/8	21/8	21/8	21/8		
	3/4			3/4			13/16			13/16			7/8			7/8		15/16		15/16		13/8	13/8	11/16	11/16	11/16	11/16	11/16	11/16		
	13/16			13/16			7/8			7/8			15/16			15/16		13/8		13/8		11/16	11/16	13/4	13/4	13/4	13/4	13/4	13/4		
	7/8			7/8			15/16			15/16			1			1		17/16		17/16		17/8	17/8	21/16	21/16	21/16	21/16	21/16	21/16		
	15/16			15/16			1			1			11/16			11/16		11/8		11/8		11/8	11/8	21/8	21/8	21/8	21/8	21/8	21/8		
	1	1/4 × 1/8		1	1/4 × 1/8		11/8	11/8		13/16	13/16		13/16	13/16		23/16	23/16	23/16	23/16	23/16	23/16										
	△	△		△	△		△	△		△	△		△	△		△	△	△	△	△	△	△									
1310	1/2	1/8 × 1/16	2012	1/2	1/8 × 1/16	2525	1/2	1/8 × 1/16	3030	7/8	3/16 × 3/32	4040	13/16	1/4 × 1/8	5050	115/16	1/2 × 1/4														
	9/16	3/16 × 3/32		9/16	3/16 × 3/32		5/8	1/4 × 1/8		5/8	5/16 × 5/32		15/16	3/8 × 3/16		13/16	5/8 × 5/16	11/4	1/2 × 1/4	4	1 × 1/2										
	5/8			5/8			11/16			11/16			17/16			17/16		23/16		23/16		27/16	27/16	31/8	31/8	31/8	31/8	31/8			
	11/16			11/16			3/4			3/4			13/16			13/16		15/8		15/8		19/16	19/16	21/8	21/8	21/8	21/8	21/8	21/8		
	3/4			3/4			13/16			13/16			7/8			7/8		15/16		15/16		13/8	13/8	11/16	11/16	11/16	11/16	11/16	11/16		
	13/16			13/16			7/8			7/8			15/16			15/16		13/8		13/8		11/16	11/16	13/4	13/4	13/4	13/4	13/4	13/4		
	7/8			7/8			15/16			15/16			1			1		17/16		17/16		17/8	17/8	21/16	21/16	21/16	21/16	21/16	21/16		
	15/16			15/16			1			1			11/16			11/16		11/8		11/8		11/8	11/8	21/8	21/8	21/8	21/8	21/8	21/8		
	1	1/4 × 1/8		1	1/4 × 1/8		11/8	11/8		13/16	13/16		13/16	13/16		23/16	23/16	23/16	23/16	23/16	23/16										
	△	△		△	△		△	△		△	△		△	△		△	△	△	△	△	△	△									



△-Shallow keyway



**TAPER BUSHING V-BELT PULLEYS 锥孔V型皮带轮**

**PULLEY dimensions**

PART NO.	a	b	c	d	e	f	h	$\alpha^\circ$	
								34°	38°
SPZ[mm]	9,7	8,5	8	12	8	2	11	$p \leq 80$	$P > 80$
SPA[mm]	12,7	11	10	15	10	2,8	13,8	$p \leq 118$	$P > 118$
SPB[mm]	16,3	14	12,5	19	12,5	3,5	17,5	$p \leq 190$	$P > 190$
SPC[mm]	22	19	17	25,5	17	4,8	23,8	$p \leq 315$	$P > 315$



**Belt dimensions**

PART NO.	m	s	n	$\alpha^\circ$	
				34°	38°
SPZ[mm]	9,7	8	8,5	$p \leq 80$	$P > 80$
SPA[mm]	12,7	10	11	$p \leq 118$	$P > 118$
SPB[mm]	16	13	14	$p \leq 190$	$P > 190$
SPC[mm]	22	18	19	$p \leq 315$	$P > 315$